according to Regulation EC 1	Safety dat 907/2006 (REACH) and s		mendment Regulation EU 830/2015
SECTION 1. Identification of	of the substance/mix	ture and of	the company/undertaking
1.1. Product identifier			
Product name:	Twelve Monkeys Vapor Co. 50mL 0	Monkey Mix I	nfinity Collection Hakuna 65VG/35PG 0mg/mL
1.2. Relevant identified uses o	of the substance or mix	ture and use	es advised against
Description/Use	Liquid for e-cigarette withou		
Intended use:	Industrial	Professional	Consumer
Electronic cigarette		X	X
1.3. Details of the supplier of	the Safety Data Sheet		
Name:			RVG Distribution Limited
Full address:			Unit E4 Explorer, Voyager Park, Portfield Road Portsmouth, Hampshire, England PO3 5FL
District and Country:			Great Britain - 0044 2392 292941 - Fax.
E-mail address of the competent pers	on responsible for the Safet	v Data Sheet:	management@rvgdistribution.com
1.4. Emergency telephone nur For urgent inquiries refer to:		1; management	@rvgdistribution.com; NHS 111
SECTION 2. Hazards idention 2.1. Classification of the subst			
amendments and supplements). However	er, since the product contains h	azardous substa	C Regulation 1272/2008 (CLP) (and subsequent ances in concentrations such as to be declared in nt to EC Regulation 1907/2006 and subsequent
Hazard classification and indication:	-		
2.2. Label elements			
Hazard labelling pursuant to EC Regulat	tion 1272/2008 (CLP) and subse	equent amendm	ents and supplements
Hazard pictograms: -			
Signal words: -			
Hazard statements:			
EUH208 Contains trans 2 h	exenal, Furaneol. May produce	e an allergie reac	CALUME

	fety data sheet available on request.	
Precautionary stateme	ents: -	
Contains: -		
Product not intended for	r uses provided for by Dir.2004/42/CE.	
2.3. Other hazards	5	
On the basis fo available	data, the product does not contain any P	PBT or vPvB in percentage greater than 0.1%.
SECTION 3. Com	position/information on ing	gredients
3.1. Substances		
Information not relevan	t	
3.2. Mixtures		
Contains:		
	rd (H) phrases is given in section 16 of th	
Identification	%	Classification 1272/2008 (CLP)
trans 2 hexenal	0.12 < x < 0.13	Acute Tox. 4 H302; Acute Tox. 3 H311; Skin Sens. 1B H317;
truits 2 nexchui	0.12 * A * 0.15	Flam. Liq. 3 H226
CAS: 6728-26-3		
EC: 204-642-4		
INDEX: -		
REACH: 01-2120770494	-48-XXXX	
Identification	%	Classification 1272/2008 (CLP)
Isoamyl acetate	0.09 < x < 0.10	Flam. Liq. 3 H226
CAS: 123-92-2		
EC: 205-572-7		
INDEX: -	70 XXXX	
REACH: 01-2119548408	-52-XXXX	
Identification	%	Classification 1272/2008 (CLP)
Ethyl acetate	0.0667 < x < 0.074	Eye Irrit. 2 H319; STOT SE 3 H336; Flam. Liq. 2 H225
CAS: 141-78-6		, ,
EC: 203-305-9		
INDEX: -		
REACH: 01-2119475103	-46-XXXX	
Identification	%	Classification 1272/2008 (CLP)
Isobutyl acetate	0.0385 < x < 0.043	Flam Lig. 2 H225
CAS: 110-19-0		

Twelve Monkeys Vapor Co. Monkey Mix Infinity Collection Hakuna 65VG/35PG 0mg/mL 50mL 0

EC: 203-306-4		
INDEX: -		
REACH: 01-2119488971-2	2-XXXX	
Identification	%	Classification 1272/2008 (CLP)
Furaneol	0.0188 < x < 0.021	Acute Tox. 4 H302; Skin Corr. 1B H314; Eye Dam. 1 H318; Skin Sens. 1A H317
CAS: 3658-77-3		
EC: 201-070-7		
INDEX: -		
REACH: -		
SECTION 4. First a	aid measures	
4.1. Description of f	irst aid measures	

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using again.

INHALATION: Remove to open air. If the subject stops breathing, administer artifical respiration. Get medical advice/attentionn immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorized by a doctor.

PROTECTION MEASURES FOR FIRST RESPONDERS: Concerning PPE suitable for first aid operations, please refer to section 8.2 of this safety data sheet.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatments needed

Information not available

SECTION 5. Firefighting measures

5.1. Exstinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use water jets. The water is not effective to extinguish a fire, however it can be used to cool the closed containers next to the flame and prevent explosion.

5.2. Special hazards arising from the sustance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breath combustion products

Twelve Monkeys Vapor Co. Monkey Mix Infinity Collection Hakuna 65VG/35PG 0mg/mL 50mL 0

Revision n. 4 Revision date 22/12/2020 Printed on 22/12/2020 Page n. 4/14

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of sustances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from drying into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL EQUIPMENTS FOR FIREFIGHTERS

Normal firefighting clothing i.e. fire kit (EN 469), gloves (EN 659) and boots (HO specification A29 and A30) in combination with self contained open circuit positive pressure compressed air breathing apparatus (EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the Safety Data Sheet) to prevent any contamination of a skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergecny procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used for, by checking Section 10. Absorb the reminder with inher absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed in compliance with the provisions set forth in point 13.

6.4. References to other sections

Any information on personal portection and disposal in given in Sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material Safety Data Sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage including any incompatibility

Store only in the original container. Store the containers sealed, in a well ventilaed place, away from direct sunlight. Keep containers away from any incompatible material, see Section 10 for details.

7.3. Specific end use(s)

Information not available

8.1. Control parameters	
Substance name: Ethanol	
CAS: 64-17-5	
DNET (DATE (Desired Marshold et al. (Desired e	1.
DNEL/DMEL (Derived No-effect level/Derived minimal effect level): Not available PNEC (Predicted No-effect Concentration): Not available	
The (Trutted to check concentration). Not available	
WORKPLACE EXPOSURE LIMIT (WEL)	
Country: GB (EH40/2005)	
Route of exposure: -	
8 h [mg/m ³]: 1920	
8 h [ppm]: 1000	
Short term (15 minutes) [mg/m ³]: -	
Short term (15 minutes) [ppm]: -	
Substance name: Ethyl acetate	
CAS: 141-78-6	
	le
DNEL/DMEL (Derived No-effect level/Derived minimal effect level): Not availabl PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL)	le
PNEC (Predicted No-effect Concentration): Not available	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL)	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: -	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: -	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: -	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [ppm]: 200	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: -	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: -	
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: - Short term (15 minutes) [ppm]: 400 OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV) Country: EU (Directive 2006/15/EC and subsequent amendments)	
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: - Short term (15 minutes) [ppm]: 400 OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV)	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: - Short term (15 minutes) [ppm]: 400 OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV) Country: EU (Directive 2006/15/EC and subsequent amendments) Route of exposure: -	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: - Short term (15 minutes) [ppm]: 400 OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV) Country: EU (Directive 2006/15/EC and subsequent amendments) Route of exposure: -	le
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: - Short term (15 minutes) [ppm]: 400 OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV) Country: EU (Directive 2006/15/EC and subsequent amendments) Route of exposure: - 8 h [mg/m ³]: 734	
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: - Short term (15 minutes) [ppm]: 400 OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV) Country: EU (Directive 2006/15/EC and subsequent amendments) Route of exposure: - 8 h [mg/m ³]: 734 8 h [ppm]: 200	
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: - Short term (15 minutes) [ppm]: 400 OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV) Country: EU (Directive 2006/15/EC and subsequent amendments) Route of exposure: - 8 h [mg/m ³]: 734 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: 1468 Short term (15 minutes) [ppm]: 400	
PNEC (Predicted No-effect Concentration): Not available WORKPLACE EXPOSURE LIMIT (WEL) Country: GB (EH40/2005) Route of exposure: - 8 h [mg/m ³]: - 8 h [mg/m ³]: - 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: - Short term (15 minutes) [ppm]: 400 OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV) Country: EU (Directive 2006/15/EC and subsequent amendments) Route of exposure: - 8 h [mg/m ³]: 734 8 h [ppm]: 200 Short term (15 minutes) [mg/m ³]: 1468	

DNEL/DMEL (Derived No-effect level/Derived minimal effect level): Not a	vailable
PNEC (Predicted No-effect Concentration): Not available	
WORKPLACE EXPOSURE LIMIT (WEL)	
Country: GB (EH40/2005)	
Route of exposure: -	
8 h [mg/m ³]: 10	
8 h [ppm]: -	
Short term (15 minutes) [mg/m ³]: -	
Short term (15 minutes) [ppm]: -	
Substance name: Isoamyl acetate	
CAS: 123-92-2	
DNEL/DMEL (Derived No-effect level/Derived minimal effect level): Not a	vailable
PNEC (Predicted No-effect Concentration): Not available	
OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV)	
Country: EU (Directive 2006/15/EC and subsequent amendments)	
Route of exposure: -	
8 h [mg/m ³]: 270	
8 h [ppm]: 50	
Short term (15 minutes) [mg/m ³]: 540	
Short term (15 minutes) [ppm]: 100	
Substance name: Isobutyl acetate	
CAS: 110-19-0	
DNEL/DMEL (Derived No-effect level/Derived minimal effect level): Not a	vailable
PNEC (Predicted No-effect Concentration): Not available	
WORKPLACE EXPOSURE LIMIT (WEL)	
Country: GB (EH40/2005)	
Route of exposure: -	
8 h [mg/m ³]: 724	
8 h [ppm]: 150	
Short term (15 minutes) [mg/m ³]: 903	
Short term (15 minutes) [npm]: 187	
onore term (15 minutes) [ppin]. 167	
OCCUPATIONAL EXPOSURE LIMIT (OEL)/ INDICATIVE OEL (IOELV)	
Country: EU (Directive 2006/15/EC and subsequent amendments)	

Twelve Monkeys Vapor Co. Monkey Mix Infinity Collection Hakuna 65VG/35PG 0mg/mL 50mL 0

Route of exposure: -
8 h [mg/m ³]: 241
8 h [ppm]: 50
Short term (15 minutes) [mg/m ³]: 723
Short term (15 minutes) [ppm]: 150
Substance name: Propylene glycol
CAS: 57-55-6
DNEL/DMEL (Derived No-effect level/Derived minimal effect level): Not available
PNEC (Predicted No-effect Concentration): Not available
WORKPLACE EXPOSURE LIMIT (WEL)
Country: GB (EH40/2005)
Route of exposure: -
8 h [mg/m ³]: total vapour and particulates 474; particulates 10
8 h [ppm]: total vapour and particulates 150; particulates -
Short term (15 minutes) [mg/m ³]: total vapour and particulates -; particulates -
Short term (15 minutes) [ppm]: total vapour and particulates -; particulates -

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask which class must be chosen according to the limit of use concentrations. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be check

Twelve Monkeys Vapor Co. Monkey Mix Infinity Collection Hakuna 65VG/35PG 0mg/mL 50mL 0

ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	Liquid
Colour:	Various
Odour:	Characteristic
Odour threshold :	Not available due to absence of data
pH:	5.00 - 7.00
Melting point / freezing point:	Not available due to absence of data
Initial boiling point:	Not available due to absence of data
Boiling range:	Not available due to absence of data
Flash point:	> 60 °C
Evaporation rate:	Not available due to absence of data
Flammability (solid, gas):	Not applicable because the product is liquid
Lower inflammability limit:	Not available due to absence of data
Upper inflammability limit:	Not available due to absence of data
Lower explosive limit:	Not available due to absence of data
Upper explosive limit:	Not available due to absence of data
Vapour pressure:	Not available due to absence of data
Vapour density:	Not available due to absence of data
Relative density:	1.0 - 1.3 g/cm3
Solubility:	Not available due to absence of data
Partitiion coefficient: n-octano/water:	Not available due to absence of data
Auto-ignition temperature:	Not available due to absence of data
Decomposition temperature:	Not available due to absence of data
Viscosity:	Not available due to absence of data
Explosive properties:	Not available due to absence of data
Oxidising properties:	Not available due to absence of data

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reactions with other substances in normal conditions of use

10.2. Chemical stability

The produc is stable in normal conditions of use ad storage

Twelve Monkeys Vapor Co. Monkey Mix Infinity Collection Hakuna 65VG/35PG 0mg/mL 50mL 0

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeabe in normal conditions of use and storage

10.4. Condition to avoid

None in particular. However, the usual precautions used for chemical products should be respected

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Acute toxicity

Does not meet the classification criteria for this hazard class

 $\begin{array}{l} \text{ATE}_{\text{mix}} \text{ (Inhalation - vapours): Not Applicable} \\ \text{ATE}_{\text{mix}} \text{ (Inhalation - mists / powders) of the mixtures: not classified (no significant component)} \\ \text{ATE}_{\text{mix}} \text{ (Oral): } 360160.75 \text{ mg/kg} \end{array}$

ATE_{mix} (Dermal) of the mixtures: 226731.85 mg/kg

Isoamyl acetate LD50 Skin >5000 mg/kg bw (Rabbit) LD50 ip 819 mg/kg bw (Rat)

Ethyl acetate LD50 Oral 1150 mg/kg bw (Rat)

Furaneol LD50 Oral 1608 mg/kg bw (Mouse)

Skin corrosion / Skin irritation

Does not meet the classification criteria for this hazard class

Serious eye damage / Irritation

Does not meet the classification criteria for this hazard class

Respiratory or skin sensitisation

Does not meet the classification criteria for this hazard class

Germ cell mutagenicity

Does not meet the classification criteria for this hazard class

Twelve Monkeys Vapor Co. Monkey Mix Infinity Collection Hakuna 65VG/35PG 0mg/mL 50mL 0

Carcinogenity
Does not meet the classification criteria for this hazard class
Reproductive toxicity
Does not meet the classification criteria for this hazard class
STOT – Single exposure
Does not meet the classification criteria for this hazard class
STOT – Repeated exposure
Does not meet the classification criteria for this hazard class
Aspiration toxicity
Does not meet the classification criteria for this hazard class
SECTION 12. Ecological information
Not being data available, use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.
12.1. Toxicity
Not determined
12.2. Persistence and degradability
Information not available
12.3. Bioaccumulative potential
Not determined
12.4. Mobility in soil
Information not available
12.5. Results of PBT and vPvB assessment
On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0.1%
12.6. Other adverse effects
Information not available
SECTION 13. Disposal considerations
13.1. Waste treatment methods
Reuse when possible Product residues should be considered special bazardous waste. The bazard level of waste containing this

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations

Twelve Monkeys Vapor Co. Monkey Mix Infinity Collection Hakuna 65VG/35PG 0mg/mL 50mL 0

SECTION 14. Transport information

The product is not dangerous under current provision of the Code of International Cariage of Dangeroous Goods by Road (ADR) and by Rail (RID), of the International Inland Waterways Dangerous Goods Code (ADN), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA/IACAO) regulations.

14.1 UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Trasport in bulk according to Annex II of MARPOL and the IBC Code

Information no relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulatios/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

None

Restriction relating to the product or contained substnace pursuant to Annex XVII to EC Regolation 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0.1%

Substances subject to authorization (Annex XIV REACH)

None	
Substances subject to ex	portation reporting pursuant to (EC) Reg. 649/2012
None	
Substances subject to th	e Rotterdam Convention
None	
Substances subject to th	e StockholmConvention
None	
Healthcare controls	
-	hemical agent must not undergo health checks, provided that available risk-assessment data prove that the s' health and safety are modest and that the 98/24/EC directive is respected.
15.2. Chemical safe	ty assessment
No chemical safety assess	ment has been processed for the mixture
SECTION 16. Othe	er information
Text of hazard (H) indica	ations mentioned in section 2-3 of the sheet:
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Flam. Liq. 2	Flammable liquid, category 2

Eye Dam. I	Senous eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Flam. Liq. 2	Flammable liquid, category 2
Flam. Liq. 3	Flammable liquid, category 3
STOT SE 3	Specific target organ toxicity (single exposure). Category 3
Skin Corr. 1B	Skin Corrosion, category 1B
Skin Sens. 1A	Skin Sensitisation, category 1A
Skin Sens. 1B	Skin Sensitisation, category 1B
EUH208	Contains May produce an allergic reaction.
EUH210	Safety data sheet available on request.
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

Legend:		
- ADR: European agreement concerning the carriage of dangerous goods b	y road	
- ADN: Internations inland waterways code for dangerous goods		
- ATE: Acute toxicity estimate		
- ATEmix: Acute toxicity estimate of mixture		
- CAS NUMBER: Chemical abstract service number		
- CE NUMBER: Identifier in ESIS (European archive of existing substances))	
- CLP: EC Regulation 1272/2008		
- DNEL: Derived no effect level		
- DMEL: Derived minimal effect level		
- EmS: Emergency schedule		
- GHS: Globally harmonized system of classification and labeling of chemi		
- IATA DGR: International air transport association dangerous goods regul	ation	
- IMDG: International maritime code for dangerous goods		
- IMO: International maritime organization		
- INDEX NUMBER: Identifier in Annex VI of CLP		
- IOELV: Indicative OEL value		
- LC50: Lethal concentration 50%		
- LD50: Lethal dose 50%		
- OEL: Occupational exposure level		
- PBT: Persistent bioaccumulative and toxic as REACH Regulation		
- PEC: Predicted environmental Concentration		
- PEL: Predicted exposure level		
- PNEC: Predicted no effect concentration		
- REACH: EC Regulation 1907/2006		
- RID: Regulation concerning the international transport of dangerous goo	ods by train	
- TLV: Threshold Limit Value		
- TLV CEILING: Concentration that should not be exceeded during any tim	e of occupational exposure.	
- TWA STEL: Short-term exposure limit		
- TWA: Time-weighted average exposure limit		
- VOC: Volatile organic compounds		
- vPvB: Very persistent and very bioaccumulative as for REACH regulation		
- WGK: Water hazard classes (German)		
- WEL: Workplace Exposure Limit		
General bibliography:		
1. Regulation (EC) 1907/2006 of the European Parliament (REACH)		
 Regulation (EU) 453/2010 of the European Parliament Regulation (EU) 830/2015 of the European Parliament 		
4. Regulation (EC) 1272/2008 of the European Parliament (CLP)		
5. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament		
6. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament		
7. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament		
8. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 9. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament		
10. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament		
11. Regulation (EU) 1221/2015 (VII Atp. CLP) of the European Parliament		
12. Regulation (EU) 918/2016 (VIII Atp. CLP) of the European Parliament		
13. Regulation (EU) 1179/2016 (IX Atp. CLP) of the European Parliament		
14. Regulation (EU) 776/2017 (X Atp. CLP) of the European Parliament - The Merck Index 10th Edition		
- Handling Chemical Safety		
- INRS - Fiche Toxicologique (toxicological sheet)		
- Patty - Industrial Hygiene and Toxicology		
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition		
- Website ECHA agency		Γ٦
Note for users:		

Twelve Monkeys Vapor Co. Monkey Mix Infinity Collection Hakuna 65VG/35PG 0mg/mL 50mL 0

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes from the previous version. The following sections have been modified: 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16

