

## SAFETY DATA SHEET

CHEFS FLAVOURS - STRAWBERRY JUICE (0 MG/ML)

Compilation date: 13/09/2019 Version No: 1

#### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name: CHEFS FLAVOURS - STRAWBERRY JUICE (0 MG/ML)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance/mixture: For use in electronic cigarettes only.

#### 1.3 Details of the supplier of the information sheet

•	
Company name:	Chefs Flavours Ltd
	26 Aberaman Ind Est, Aberaman,
	Aberdare,
	CF44 6DA
	United Kingdom
Talı	+44 1685872951
Tel.	+44 1085872951
Email:	lewis@chefsflavours.co.uk

#### 1.4 Emergency telephone number

Emergency tel: +44 1685872951 (GMT: 08:00 - 16:00)

#### Section 2: Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification under CLP:	Skin Sens. 1: H317
Most important adverse effects:	May cause an allergic skin reaction.

#### 2.2 Label elements

Label elements:

Hazard statements: H317: May cause an allergic skin reaction.

Hazard pictograms: GHS07: Exclamation mark

# $\langle ! \rangle$

Signal words: Warning
Precautionary statements: P101: If medic

 Precautionary statements:
 P101: If medical advice is needed, have product container or label at hand.

 P103: Read label before use.
 P302+352: IF ON SKIN: Wash with plenty of water/soap.

 P273: Avoid release to the environment.
 P333+313: If skin irritation or rash occurs: Get medical advice/attention.

 P501: Dispose of contents/container to appropriate local waste system.

 Supplemental information:
 EUH208: Contains Linalool. May produce an allergic reaction.



Compilation date: 13/09/2019 Version No: 1

#### 2.3 Other hazards

Other hazards: No data available.

PBT: This product is not identified as a PBT/vPvB substance.

#### Section 3: Composition/information on ingredients

#### 3.2 Mixtures

#### Hazardous ingredients:

Substances	CAS No.	EC No.	CLP Classification	Percent
Furaneol	3658-77-3	222-908-8	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin	1-5%
			Sens. 1: H317	
Linalool	78-70-6	201-134-4	Skin Sens. 1B: H317	0.1-0.5%

#### Non-hazardous ingredients:

Substances	CAS No.	EC No.	CLP Classification	Percent
Propylene glycol	57-55-6	200-338-0	Non-classified substance with WEL	50-80%
Benzyl alcohol	100-51-6	202-859-9	Acute Tox. 4: H302; Acute Tox. 4: H332:	1-5%
Methyl Propionate	554-12-1	209-060-4	Flam. Liq. 2; H225; Acute Tox. 4; H332	1-5%
3-Hexen-1-ol	544-12-7	208-860-0	Flam. Liq. 3: H226	1-3%
Isoamyl isovalerate	659-70-1	211-536-1	Aquatic Chronic 2: H411	0.1-0.9%
Benzyl acetate	140-11-4	205-399-7	Aquatic Chronic 3: H412	0.1-0.9%
Other flavouring substances	-	-	Not hazardous at < 1%	1-5%

#### Section 4: First aid measures

#### 4.1 Description of first aid measures

Ingestion:	Rinse mouth. Do NOT induce vomiting. Get medical attention if you feel unwell.			
Inhalation:	If breathing affected seriously: Remove person to fresh air and keep comfortable for breathing ensuring one's own safety whilst doing so. Call a doctor/emergency service if experiencing respiratory symptoms.			
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rising.			
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. If skin irritation or rash occurs, get medical advice/attention.			
ant aumentame and offerste, both courts and deleved				

#### 4.2 Most important symptoms and effects, both acute and delayed

**Inhalation:** Exposure may cause coughing, wheezing, breathlessness or tightness of the chest.

- **Skin contact:** There may be mild irritation and redness at the site of contact. An itchy rash may occur at the site contact.
- Eye contact: There may be irritation and redness.





> Compilation date: 13/09/2019 Version No: 1

Ingestion:	There may be vomiting and diarrhoea after prolonged or repeated exposure.		
Delayed/immediate effects:	Prolonged or repeated exposure of propylene glycol and glycerin may cause nausea, headache, and vomiting.		
Section 5: Fire-fighting measur	Delayed effects can be expected after long-term exposure of sensitisers.		
5.1 Extinguishing media			
Extinguishing media:	Extinguish with carbon dioxide, dry chemical or foam. Alcohol resistant foams (ATC type) are preferred.		
5.2 Special hazards arising from	the substance or mixture		
Exposure hazards:	In combustion emits toxic fumes of carbon dioxide, carbon monoxide, nitrogen oxides.		
5.3 Advice for fire-fighters			
Advice for fire-fighters:	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.		
Section 6: Accidental release n	neasures		
6.1 Personal precautions, protect	tive equipment and emergency procedures		
Personal precautions:	Do not attempt to take action without suitable protective clothing – see section 8. Turn leaking containers leak-side up to prevent the escape of liquid.		
6.2 Environmental precautions			
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.		
6.3 Methods and material for con	tainment and cleaning up		
Clean-up procedures:	Keep in suitable, closed containers for disposal. Refer to section 13 for suitable method of disposal.		
6.4 Reference to other sections			
Reference to other sections:	Refer to section 8 and 13.		
Section 7: Handling and storag	je		
7.1 Precautions for safe handling			
Handling requirements:	Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.		
7.2 Conditions for safe storage, i	ncluding any incompatibilities		
Storage conditions:	Store in a cool, well ventilated area. Keep container tightly closed. Keep away from direct sunlight.		
Suitable packaging:	Not applicable.		
7.3 Specific end use(s)			
	CALUN Page 3 of 9		



## SAFETY DATA SHEET

CHEFS FLAVOURS - STRAWBERRY JUICE (0 MG/ML)

Compilation date: 13/09/2019 Version No: 1

Specific end use(s): For use in electronic cigarettes only.

#### Section 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### PROPYLENE GLYCOL

Workplace E	xposure Limits:	
State	8-hour TWA	15 r

State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
UK	(particles) 10 mg/m <sup>3</sup>	-	-	-
	(total particles & vapour)	-	-	-
	474 mg/m <sup>3</sup>			

**Respirable dust** 

**Respirable dust** 

#### ETHANOL

#### Workplace Exposure Limits:

State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
UK	1920 mg/m <sup>3</sup>	-	-	-
Germany (DFG)	380 mg/m <sup>3</sup>	1520 mg/m <sup>3</sup>	-	-

#### DNEL/PNEC Values

DNEL / PNEC: No data available.

#### 8.2 Exposure controls

Engineering measures:	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday. Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.
Environmental:	No special environmental precautions required.

#### Section 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

State:	Liquid		
Colour:	Variable (from colourless to pale yellow/orange)		
Odour:	Pleasant		
Evaporation rate:	No data available		
Oxidising:	No data available		
Solubility in water:	Soluble		
Viscosity:	No data available.		





#### Compilation date: 13/09/2019 Version No: 1

Boiling point/range °C	No data available.	Melting point/range °C:	No data available.		
Flammability limits % lower:	Not applicable.	upper:	Not applicable.		
Flash point °C	No data available.	Part. coeff. n-octanol/water:	No data available.		
Autoflammability °C	Not applicable.	Vapour pressure:	No data available.		
Relative density:	No data available.	pH:	No data available.		
Nextion 40. Stability and reactivity					

#### Section 10: Stability and reactivity

10.1 Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2 Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4 Conditions to avoid

Conditions to avoid: Flames. Direct sunlight.

#### 10.5 Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### 10.6 Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide, carbon monoxide, nitrogen oxides.

#### Section 11: Toxicological information

11.1 Information on toxicological effects





Compilation date: 13/09/2019 Version No: 1

Acute toxicity				
Oral	Based upon the available data, the classification criteria are not met.			
Dermal	Based upon the available data, the classification criteria are not met.			
Inhalation	Based upon the available data, the classification criteria are not met.			
Skin corrosion/irritation	Based upon the available data, the classification criteria are not met.			
Eye damage/irritation	Based upon the available data, the classification criteria are not met.			
Respiratory or skin sensitisation	Skin Sens. 1: H317 Contain <b>Furaneol</b> at concentration > 1.0%.			
Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.			
Carcinogenicity	Based upon the available data, the classification criteria are not met.			
Reproductive toxicity	Based upon the available data, the classification criteria are not met.			
STOT – single exposure	Based upon the available data, the classification criteria are not met.			
STOT – repeated exposure	Based upon the available data, the classification criteria are not met.			
	Based upon the available data, the classification criteria are not met.			

Inhalation:	Exposure may cause coughing, wheezing, breathlessness or tightness of the chest.
Skin contact:	There may be mild irritation and redness at the site of contact. An itchy rash may occur at the site contact.
Eye contact:	There may be mild irritation and redness.
Ingestion:	There may be vomiting and diarrhoea after prolonged or repeated exposure.
Delayed/immediate effects:	Prolonged or repeated exposure of propylene glycol and glycerin may cause nausea, headache, and vomiting. Delayed effects can be expected after long-term exposure of sensitisers.

#### Section 12: Ecological information

12.1 Toxicity

Toxicity: No data available.

#### 12.2 Persistence and degradability

Persistence and degradability: No data available.

#### 12.3 Bioaccumulative potential

Bioaccumulative: No data available.

12.4 Mobility in soil

Mobility: No data available.

#### 12.5 Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects





Compilation date: 13/09/2019 Version No: 1

Other adverse effects: No data available.

Section 13: Disposal considerations				
13.1 Waste treatment methods				
Disposal operations:	Disposal in accordance with the local/national legislation. Individual bottles can be disposed of to commercial/domestic waste. Disposal of large quantities must be performed by qualified and authorised body.			
Recovery operations:	Not applicable.			
Disposal of packaging:	Paper/board packaging may be reused or recycled. Bottles may be reused or recycled after cleaning.			
NB:	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.			

## Section 14: Transport information

This product does not require a classification for transport according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

#### 14.1 UN number

	ADR/RID	IMDG	IATA/ICAO
UN number:	None assigned.	None assigned.	None assigned.
14.2 UN proper shipping name			
	ADR/RID	IMDG	IATA/ICAO
UN proper shipping name:	None assigned.	None assigned.	None assigned.
14.3 Transport hazard class(es)			
	ADR/RID	IMDG	IATA/ICAO
Transport class:	None assigned.	None assigned.	None assigned.
14.4 Packing group			
	ADR/RID	IMDG	IATA/ICAO
Packing group:	None assigned.	None assigned.	None assigned.
14.5 Environmental hazards			
	ADR/RID	IMDG	IATA/ICAO
Environmental hazards:	Not classified.	Not classified.	Not classified.
14.6 Special precautions for user			
Special precautions:	See Section: 2		
14.7 Transport in bulk according	to Annex II of MARPOL 73/78	and the IBC Code	
	ADR/RID	IMDG	IATA/ICAO
			CALUN Page 7 of



Compilation date: 13/09/2019 Version No: 1

			Version No		
Transport in bulk:	Not applicable.	Not applicable.	Not applicable.		
Section 15: Regulatory informa	tion				
15.1 Safety, health and environme	ental regulations/legis	ation specific for the substance	e or mixture		
Specific regulations:	Not applicable.				
15.2 Chemical safety assessment	t				
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.				
Section 16: Other information					
Other information					
Other information:	This safety data sheet is prepared in accordance with Regulations (EC) No 1907/2006 and 1272/2008 as Amended and Adapted. * indicates text in the SDS which has changed since the last revision.				
List of abbreviations:	ADR, International Carriage of Dangerous Goods by Road ATE, acute toxicity estimate CAS, Chemical Abstracts Service CLP, Classification, Labelling and Packaging DNEL, Derived No Effect Level IATA, International Air Transport Association ICAO, International Civil Aviation Organisation IMDG, International Maritime Dangerous Goods NB, Nota bene PBT, persistent, bioaccumulative, toxic PNEC, Predicted No Effect Concentration RID, International Carriage of Dangerous Goods by Rail SDS, Safety Data Sheet STEL, Short-term Exposure Limit STOT, Specific target organ toxicity TWA, Time Weighted Average UN, United Nations vPvB, very persistent, very bioaccumulative				
Phrases used in s.2 and s.3:	H225: Highly flammab H226: Flammable liqu H302: Harmful if swall H317: May cause an a H319: Causes serious H332 Harmful if inhale	id and vapour. owed. illergic skin reaction. eye irritation. d. i life with long lasting effects.	ay produce an allergic reaction.		

H412 Harmful to aquatic life with long lasting effects.





Compilation date: 13/09/2019 Version No: 1

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

